

[FIG.1]

POWER VALUE

1 CHIP

TIME

5

[FIG.2]

102 RECEPTION SECTION

103 DELAY PROFILE CREATION SECTION

104 PATH DETECTION SECTION

10 105 PATH LIMITATION SECTION

106 DEMODULATION SECTION

RECEIVED DATA

[FIG.3]

15 FROM DELAY PROFILE CREATION SECTION 103

201 ADJACENT SAMPLE COMPARISON PROCESSING SECTION

202 DELAY PROCESSING SECTION

203 PEAK DETECTION PROCESSING SECTION

204 COMPARISON RESULT STORAGE PROCESSING SECTION

20 205 SLOPE DECISION PROCESSING SECTION

206 MAXIMUM VALUE DETECTION PROCESSING SECTION

207 PATH SELECTION SECTION

TO PATH LIMITATION SECTION 105

TO PATH LIMITATION SECTION 105

25

[FIG.4]

START

ST301 INITIALIZATION

ST302 (FALLING?)  
ST303 (IS IMMEDIATELY PRECEDING SAMPLE RISING?)  
ST305 ADD DP[i-1] TO PATH CANDIDATE  
ST306 MAXIMUM VALUE?  
5 ST307 REGISTER AS MAXIMUM VALUE  
ST308 MOVE POINTER  
ST309 ALL DATA COMPLETED?  
ST310 (FALLING FOUR TIMES?)  
ST311 ADD DP[i] TO PATH CANDIDATE  
10 ST316 (RISING FOUR TIMES?)  
ST317 ADD DP[i] TO PATH CANDIDATE  
END

[FIG.5]

15 POWER VALUE  
PART TO BE DETECTED  
RISE  
FALL  
PATH  
20 TIME

[FIG.6]

POWER VALUE  
RISE  
25 FALL #1  
FALL #2  
FALL #3  
FALL #4

PART TO BE DETECTED  
PATH  
TIME

5 [FIG.7]

POWER VALUE  
PART TO BE DETECTED  
RISE  
FALL

10 PATH  
PATH  
TIME

[FIG.8]

15 COMPARISON RESULT

SHAPE OF DELAY PROFILE FROM 3 SAMPLES AHEAD TO CURRENT  
ONE

"YES" → "YES" RISING

"YES" → "NO" WITH PEAK

20 "NO" → "NO" FALLING

"NO" → "YES" WITH MINIMUM

[FIG.9]

FROM DELAY PROFILE CREATION SECTION 103

25 201 ADJACENT SAMPLE COMPARISON PROCESSING SECTION  
202 DELAY PROCESSING SECTION  
203 PEAK DETECTION PROCESSING SECTION  
204 COMPARISON RESULT STORAGE PROCESSING SECTION

205 SLOPE DECISION PROCESSING SECTION

206 MAXIMUM VALUE DETECTION PROCESSING SECTION

207 PATH SELECTION SECTION

TO PATH LIMITATION SECTION 105

5 TO PATH LIMITATION SECTION 105

[FIG.10]

START

ST901 INITIALIZATION

10 ST902 (FALLING?)

ST903 (IS IMMEDIATELY PRECEDING SAMPLE RISING?)

ST904 (FOUR TIMES RISING?)

ST905 ADD DP[i-5] TO PATH CANDIDATE

ST911 MOVE POINTER

15 ST912 ALL DATA COMPLETED?

END

[FIG.11]

POWER VALUE

20 PART TO BE DETECTED

RISE

FALL

PATH

PATH

25 TIME

[FIG.12]

102 RECEPTION SECTION

103 DELAY PROFILE CREATION SECTION

1101 PATH DETECTION SECTION

105 PATH LIMITATION SECTION

106 DEMODULATION SECTION

5 RECEIVED DATA

[FIG.13]

FROM DELAY PROFILE CREATION SECTION 103

201 ADJACENT SAMPLE COMPARISON PROCESSING SECTION

10 202 DELAY PROCESSING SECTION

203 PEAK DETECTION PROCESSING SECTION

204 COMPARISON RESULT STORAGE PROCESSING SECTION

205 SLOPE DECISION PROCESSING SECTION

207 PATH SELECTION SECTION

15 TO PATH LIMITATION SECTION 105